


WEST VIRGINIA UNIVERSITY CAMPUS
**INTERIOR SIGNAGE STANDARDS
& ADA INSTALLATION
GUIDELINES**

Updated February 2023

Types of Restroom Signage



MHC-RR Size: 6"x 8"

- ① 1/4" Acrylic Painted WVU Blue PMS 295/MP29294 Satin
- ② Tactile Color: White
Font: Helvetica Regular
- ③ Grade 2 Braille
- ④ Double Faced Tape



WHC-RR



Types of All Gender Restroom and Changing Room Signage




AGHCCT-RR
Size: 8" x 8.75"

- ① 1/4" Acrylic Painted WVU Blue PMS 295/MP29294 Satin
- ② Tactile Color: White
Font: Helvetica Regular
- ③ Grade 2 Braille
- ④ Double Faced Tape



AGHC-CR



AG-RR



AGHC-RR



AGCT-RR

Types of Bathroom Signage



- ① 1/4" Acrylic Painted WVU Blue PMS 295/MP29294 Satin
- ② Tactile Color: White
Font: Helvetica Regular
- ③ Grade 2 Braille
- ④ Double Faced Tape

M-BR



AG-BR Size: 8" x 8.75"



W-BR

Size: 6" x 8"

**add Handicap symbol to signs when applicable



Lactation Room
Size: 8" x 10.25"

Lactation Room Sign

- ① 1/4" Acrylic Painted WVU Blue PMS 295/MP 29294 Satin
- ② Tactile Color: White; Font: Helvetica Regular
- ③ Grade 2 Braille
- ④ Double Faced Tape






- ① 1/4" Acrylic Painted WVU Blue PMS 295/MP 29294 Satin
- ② Tactile Color: White; Font: Helvetica Regular
- ③ Grade 2 Braille
- ④ Double Faced Tape

RR4- Location Indicator Sign




Note: For All Gender restroom or Lactation room in the building

RR4
Size: 7" x 8"



- ① 1/4" Acrylic Painted WVU Blue PMS 295/ MP 29294 Satin
- ② Tactile Color: White
Font: Helvetica Regular
- ③ Grade 2 Braille
- ④ Double Faced Tape

T1 Size: 8 1/2" x 3"




T2 Size: 4" x 3"

T1 and T2 – Room Signs


- ① 1/4" Acrylic Painted WVU Blue PMS 295/
MP 29294 Satin
- ② Tactile Color: White Font: Helvetica Regular
- ③ Grade 2 Braille
- ④ Double Faced Tape

T3- Room ID with Name



- ① 1/8" Acrylic Painted WVU Blue PMS 295/MP 29294 Satin
- ② Tactile Color: White
Font: Helvetica Regular
- ③ Grade 2 Braille
- ④ Double Faced Tape
- ⑤ Window for name ; 1/8" spacer Tape/ Non-Glare Acrylic
- ⑥ Backplate 1/8" PVC painted WVU Blue PMS 295/ MP 29294 Satin with Two sets of Thumbholes on backplate for window, Paint both sides


T3
Size: 8 1/2" X 4 7/8"



- ① 1/8" Acrylic Painted WVU Blue PMS 295/ MP 29294 Satin
- ② Tactile Color: White; Font: Helvetica Regular
- ③ Grade 2 Braille
- ④ Double Faced Tape
- ⑤ Window for name (8.5"x11"); 1/8" spacer Tape/ Non-Glare Acrylic
- ⑥ Window for schedule/ office hours (8.5"x11") 1/8" spacer Tape/ Non-Glare Acrylic
- ⑦ Backplate 1/8" PVC painted WVU Blue PMS 295/ MP 29294 Satin with Two sets of Thumbholes on backplate for both window, Paint both sides

T3A – Room ID with name and paper insert

T3A
Size: 8 1/2" X 16.625"




- ① 1/8" Acrylic Painted WVU Blue PMS 295/ MP 29294 Satin
- ② Tactile Color: White; Font: Helvetica Regular
- ③ Grade 2 Braille
- ④ Double Faced Tape
- ⑤ Window for name/schedule (8.5"x11"); 1/8" spacer Tape/ Non-Glare Acrylic
- ⑥ Backplate 1/8" PVC painted WVU Blue PMS 295/ MP 29294 Satin with Two sets of Thumbholes on backplate for window, Paint both sides

T3A - Room ID without name insert

T3A without name insert
Size: 8 1/2" X 13.875"


T3B – Room ID with Name Insert (2) Slot



- ① 1/8" Acrylic Painted WVU Blue PMS 295/ MP 29294 Satin
- ② Tactile Color: White
Font: Helvetica Regular
- ③ Grade 2 Braille
- ④ Double Faced Tape
- ⑤ Window for name
1/8" spacer Tape/ Non-Glare Acrylic
- ⑥ Backplate 1/8" PVC painted WVU Blue PMS 295/ MP 29294 Satin with Two sets of Thumbholes on backplate for both window, Paint both sides

T3B

Size: 8 1/2" X 7 3/4"




T3C
Size: 11" X 19.875"

- ① 1/8" Acrylic Painted WVU Blue PMS 295/ MP 29294 Satin
- ② Tactile Color: White Font: Helvetica Regular
- ③ Grade 2 Braille
- ④ Double Faced Tape
- ⑤ Window for suite name/ list of names in suite (11"x17")
1/8" Spacer Tape/Non-Glare Acrylic
- ⑥ Backplate 1/8" PVC painted WVU Blue PMS 295/
MP 29294 Satin with Two sets of Thumbholes on
backplate for window, Paint both sides

T3C – Room ID with 11"x17" Insert Slot




T3D - Name ID Add On



- 1/8" Clear Acrylic Faceplate Top/ Bottom
- ① border painted WVU Blue PMS 295/MP 29294 Satin
- Backplate 1/8" Acrylic painted
- ② WVU Blue PMS 295/ MP 29294 Satin with Thumbholes on Back Painted both sides
- ③ Double Faced Tape

T3D
Size: 8.5" X 2.5"

Slider sign -Custom



- ① 1/8" Acrylic stopper
- ② 1/8" Acrylic with white copy and nameplate holder with rowmark slider
- ③ Double Faced Tape



Colored Option for lettering, depending on room type.
Mount above existing room sign.



Slider
Size: 8.5" X 3"



8"

6"

**MAXIMUM
OCCUPANCY**

NOT TO EXCEED

TBD PERSONS

BY ORDER OF STATE FIRE MARSHAL

①

②

①

Dibond Print Direct, Brushed
Silver Horizontal Grain Rounded
Corners white spot

②

Red and Black Lettering

③

Double Faced Tape

Note: Maximum Occupancy Signs shall be posted in rooms where required by WV State Fire Code.

- Every room constituting an assembly occupancy and not having fixed seats shall have the occupant load of the room posted in a conspicuous place near the main exit from the room.
- If a room with an occupant load calculated of more than 50 persons yet the room only has one door, a sign shall be placed in that room stating "Maximum Occupancy 49 Persons" shall be posted. The occupancy limit shall be calculated by the architect in the accordance with the WV State Fire Code.

③

T4

Size: 8" X 6"

**T4 – Maximum Occupancy Sign
(Required by WV State Fire Code)**




- ① ¼" acrylic painted Red
- ② Rowmark; white
- ③ Grade 2 Braille
- ④ Double Faced Tape

Emergency Exit
Size: 8" X 12"



Emergency Exit/ Fire Door Keep Closed
Signage for (Stairwell Doors)



FDC

Size: 12" X 18"

**Fire Department Connection
(Exterior signage)**

8"

**SPRINKLER
CONTROL
SYSTEM**

8"

**ELEVATOR
EQUIPMENT
ROOM**

6"

1

1

1



Printed Di-Bond with Double Face Tape on Back

Sprinkler Control Room & Elevator Equipment Room

**For Fire Department Notification
install below room number**

Size: 6" X 8"





Informational Signage
Size: 6" X 8"



Digitally Printed Brushed
Di-Bond with Red Lettering
Screwed onto gate or double-
faced tape

Installed on Stairwell Gate – Not an
EXIT or noting on Stairwell doors that
are locked.





① ¼" Acrylic painted
WVU Blue PMS 295/ MP 29294 Satin


② Tactile Color: White
Font: Helvetica

③ Grade 2 Braille

④ Double Faced Tape

T6 - Sign Example next to Elevator – option 1

T6
Size: 9" X 9"




- ① ¼" Acrylic painted
WVU Blue PMS 295/ MP 29294 Satin
- ② Tactile Color: White
Font: Helvetica Regular
- ③ Grade 2 Braille
- ④ Double Faced Tape

THIS SIGN CAN BE USED FOR
ADDITIONAL INFORMATION
IN A STAIRWELL BUT NOT
THE ONLY SIGN. SW4 HAS TO
BE POSTED.

T7 - Level or Floor Sign


T7
Size: 6" X 8"

T8 - Confined Space Sign



T8

Size: 8 1/2" X 3"




- ① ¼" Acrylic painted WVU Blue PMS 295/ MP 29294 Satin
- ② Tactile Color: White
Font: Helvetica Regular
- ③ Grade 2 Braille
- ④ Double Faced Tape

ON THIS SIGN, STAIR
NUMBER AND LEVEL COULD
BE ADDED TO THIS SIGN
POSTED ON THE FLOOR SIDE.


SW
Size: 7" X 8"

SW - Stair Signage

SW3 - Stairwell Door EXIT signage



SW3
Size: 9" X 5"



SW4 – Stairwell Signage




SW4
Size: 13" X 15"


Note if there is Roof Access from the stairwell, add additional note to the sign.

Note: in buildings 4 floors and above; or, in buildings over 75 feet, the inner stairwell signs are required to be photoluminescent (glow in the dark).

- ① ¼" Acrylic painted WVU Blue PMS 295/ MP 29294 Satin
- ② Tactile Color: White; Font: Helvetica Regular
- ③ Double Faced Tape
- ④ Grade 2 Braille



Size is determined on content for sign




Informational Sign (special case)

- ① Printed Brushed Di-Bond with rounded corners. Text Color WVU Blue, clear coat, and 2 Faced Tape
If Exterior install – may need to screw to wall.

Note: Extra sign might be needed per where deliveries or something that needs to be clear to visitor or information for building.

Size is determined on content for sign




Doc Holder


Size: 8.5" X 11.5"

**** (specify Landscape or Portrait layout)**

Thumbholes will depend on layout




Glass Backer
(cover up foam tape on glass panels) (size will vary per sign type)



Glass Backer

- ① Adhesive Vinyl, PMS 295
WVU Blue/ MP 29294 Satin

Fire Evacuation Sign Holder





EVAC 1

Size: 17.5" x 11.5"

Inserts: 11" x 17"

Fire Evacuation Sign Holder – Glow in the Dark Option




- ① 1/8" PVC Painted WVU Blue PMS 295/ MP 29294 Satin one thumbhole on backplate
- ② Faceplate 1/8" Non-glare Acrylic Paint on 2nd Surface
- ③ A thumbhole on backplate
- ④ Permalite
- ⑤ Double Faced Foam Tape

EVAC2
Size: 17.5" X 11.5"
Inserts: 11" X 17"
Glow in the Dark Photo
Luminescent Backer (special insert)

WEST VIRGINIA UNIVERSITY CAMPUS


**BUILDING DIRECTORIES &
DEPARTMENT ENTRANCE SIGNS**




Building Directory – D1 and D2

- ④
- ① ¼" Acrylic Painted WVU Blue PMS 295- MP 29294 Satin
- ② Tactile Rowmark Color: White
Font: Helvetica Regular
- ③ Backplate 1/8" Dibond
- ④ 4 Double Faced Tape
- ⑤ 2" Magnetic Strip (5) Strips Total
- ⑥ Faceplate 1/8" Non-glare Acrylic Paint on 2nd Surface
- ⑦ Cold Rolled Metal (to attach to Magnet)
- ⑧ Backplate 1/8" Acrylic Painted WVU Blue PMS 295/ MP 29294 Satin





Building Directory – D3




- ① ¼" Acrylic Painted WVU Blue PMS 295/ MP 29294 Satin
- ② Tactile Rowmark Color: White
Font: Helvetica Regular
- ③ Backplate 1/8" Dibond
- ④ 4 Double Faced Tape
- ⑤ 2" Magnetic Strip (5) Strips Total
- ⑥ Faceplate 1/8" Non-glare Acrylic Paint on 2nd Surface
- ⑦ Cold Rolled Metal (to attach to Magnet)
- ⑧ Backplate 1/8" Acrylic Painted WVU Blue PMS 295/ MP 29294 Satin

3 Panel


Size: 33"x30"

Building Directory – D4



4 Panel
Size: 44"x30"

Department Name Sign



DNS- Department Name Sign

Size: may vary depending on location

WEST VIRGINIA UNIVERSITY CAMPUS
**ADA SIGN INSTALLATIONS
& GUIDELINES**

FAQ and Tips

The ADA (Americans with Disabilities Act) helps remove barriers for people with disabilities. More than 2.5 million Americans suffer from visual impairment-not just blindness. High contrast ADA compliant signs help ensure accessibility for seniors, the physically handicaps such as wheelchairs, the visually impaired and blind.

An ADA compliant sign is required for every permanent room or space in a building. This document is designed to help you understand how ADA compliant signs should be installed. Always defer to your local building authority for regulations and code updates You can review the guidelines enforceable as of March 15, 2012 at www.ada.gov.

FREQUENTLY ASKED QUESTIONS

Q: Do all signs need to be ADA compliant and have Braille and tactile letters?

A: No, there are a number of signs that are not required to be ADA compliant. Building addresses, directories, parking signs and temporary signs don't need to be ADA compliant. Temporary signs are those used for 7 days or less.


Q: Do I need ADA compliant signs in the stairwells of my building?

A: You are required to have tactile sign next to each door inside the stairwell. These signs should identify the floor level, stair level and exit level. Some local fire codes have size requirements for those signs. You should check with your local code authority.

INSTALLATION TIPS

- Although signs can be installed at varying heights, we suggest using the 60" MAX and 48" MIN installation heights. See next page for explanation.
- Install signs with double sided tape by removing the tape backing. Then place the sign on a level and press it firmly in place against the wall.
- Clear silicone should be added to the back of heavy or oversized signs.

Mounting Heights




- The baseline of the tactile copy can be mounted between 48" at the lowest point to 60" at the highest point. This allows signs of different sizes to be mounted on the same visual plane.
- Elevator cars are excluded from this rule.

Mounting Options

Signs should be mounted to the wall on the latch side of the door. If there is no room on that wall, the sign may be mounted on the nearest adjacent wall.



In the case of outward swinging doors, the sign must be mounted to the wall outside of the arc of the door swing. The sign should be located within an 18"x18" square of clear floor space (18" away from the door and 18" away from the wall). See Diagram.



Double Door: (one active leaf): Sign shall be located on inactive leaf.



Inward swinging doors: Sign may be mounted on door if three criteria are met: 1) the door closes automatically, 2) the sign is mounted on the push side of the door, 3) the door does not have a hold-open device. (Common examples of doors that meet these criteria are kitchen doors, restroom doors, etc.).




Single Door: sign shall be mounted next to door on the latch side.



Double Door: (two active leaves): Sign shall be located to the right of right handed door.

Overhead Signs and Projection Signs



PROJECTING SIGN

- The bottom of overhead signage must be 80" above the floor.
- Projecting wall mounted signs must be a minimum of 27" off the floor and have a maximum protrusion of 4" into a pathway.
- Signs should not interfere with or block any door function, emergency equipment or sprinklers.